

STIC Biotechnology Systems Branch

1/FWP

CRF Problem Report

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/566,599
Filing Date: 1/31/06
Date Processed by STIC: 2/7/06

STIC Contact: **Mark Spencer**; Telephone: 571-272-2510; Fax: 571-273-0221

Nature of CRF Problem:

- ☐ (circle one) Damaged or Unreadable (for Unreadable, see attached)
☐ Blank (no files on CRF) (see attached)
☐ Empty file (filename present, but no bytes in file) (see attached)
☒ Wrong file saved to CRF (invention title, docket number, or applicant(s) do not match those in official application) (see attached)
☐ Not saved in ASCII text
☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.
☐ Did not contain a Sequence Listing. (see attached sample)
☐ Other:

**PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM TO REDUCE ERRORS.
SEE BELOW FOR ADDRESS:**


<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

1. EFS-Bio (<<http://www.uspto.gov/ebs/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. **Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):**
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/20/06

10/566,599 2

These do not
match
docket number
and
invention title
in submitted file
(see attached)



BEST AVAILABLE COPY

10/566,599³

SEQUENCE LISTING

<110> Syngenta Ltd

<120> Improvements in or Relating to Organic Compounds

<130> 70298

<150> GB 0318109.6

<151> 2004-08-01

These do not
match invention
title and docket
number on disk
label and in
official U.S. application